

---

# Products Catalogue

- RFID Silicone Wristband Series .....1**
- RFID Nylon Wristband Series .....4**
- RFID Plastic Wristband Series .....5**
- RFID PVC Wristband Series .....6**
- RFID Disposable PVC Wristband Series .....7**
- RFID Disposable Paper Wristband Series .....8**
- RFID Watch .....9**
- RFID Laundry Tag Series .....10**
- RFID Key Tag Series .....11**

















# RFID Plastic Wristband Series

<b>Picture</b>										
<b>No.</b>	S001	S002	S003	S004	S005	S006	S007	S008		
<b>Model</b>	Oval Head	Oval Head	Oval Head	Oval Head	Watch Buckle	Watch Buckle	Watch Buckle	Watch Buckle		
<b>Size</b>	Φ45MM	Φ65MM	Φ65MM	Φ77MM	258*37*16MM	220*34*16MM	220*34*16MM	252*20*15MM		
<b>Embed way</b>	secondary forming	secondary forming	secondary forming	secondary forming	secondary forming	secondary forming	secondary forming	secondary forming		
<b>LF CHIP</b>	√	√	√	√	√	√	√	√		
<b>HF CHIP</b>	√	√	√	√	√	√	√	√		
<b>UHF CHIP</b>	√	√	√	√	√	√	√	√		
<b>N.W.</b>	14.30g	16.00g	17.10g	22.40g	13.50g	14.00g	13.50g	21.3g		
<b>Packing</b>	100pcs/polybag, 1500pcs/ctn	100pcs/polybag, 1000pcs/ctn	100pcs/polybag, 1000pcs/ctn	100pcs/polybag, 1000pcs/ctn	100pcs/polybag, 1000pcs/ctn	100pcs/polybag, 1000pcs/ctn	100pcs/polybag, 1000pcs/ctn	100pcs/polybag, 1000pcs/ctn		
<b>Working Temp.</b>	-30℃~75℃	-30℃~75℃	-40℃~85℃	-40℃~85℃	-30℃~75℃	-30℃~75℃	-30℃~75℃	-30℃~75℃		








# RFID PVC Wristband Series

<b>Picture</b>										
<b>No.</b>	P001	P002	P003	P004	P005	P006	P007	P008	P009	P010
<b>Model</b>	Press Button	Press Button	Watch Buckle	Watch Buckle	Watch Buckle	Watch Buckle	Disposable Button	Anti-tamper button	Watch Buckle	Press Button
<b>Size</b>	180*30*14MM	220*38*18MM	212*33*15MM	250*33*15MM	240*33*15MM	235*35*20MM	240*38*18MM	240*37*22MM	212*33*15MM	240*16*58MM
<b>Embed way</b>	one-step moulding	one-step moulding	one-step moulding	one-step moulding	one-step moulding	one-step moulding	one-step moulding	one-step moulding	one-step moulding	one-step moulding
<b>LF CHIP</b>	√	√	√	√	√	√	√	√	√	√
<b>HF CHIP</b>	√	√	√	√	√	√	√	√	√	√
<b>UHF CHIP</b>	√	√	√	√	√	√	√	√	√	√
<b>N.W.</b>	7.53g	11.63g	17.70g	20.50g	22.00g	13.85g	15.60g	27.20g	14.75g	16.60g
<b>Packing</b>	100pcs/polybag, 1500pcs/ctn	100pcs/polybag, 1000pcs/ctn	100pcs/polybag, 1000pcs/ctn	100pcs/polybag, 1000pcs/ctn	100pcs/polybag, 1000pcs/ctn	100pcs/polybag, 1000pcs/ctn	100pcs/polybag, 1000pcs/ctn	100pcs/polybag, 1000pcs/ctn	100pcs/polybag, 1000pcs/ctn	100pcs/polybag, 1000pcs/ctn
<b>Working Temp.</b>	-30℃~75℃	-30℃~75℃	-30℃~75℃	-30℃~75℃	-30℃~75℃	-30℃~75℃	-30℃~75℃	-30℃~75℃	-30℃~75℃	-30℃~75℃
<b>Picture</b>										
<b>No.</b>	P011	P012	P013							
<b>Model</b>	Anti-tamper button	Anti-tamper button	Press Button							
<b>Size</b>	180*37*22MM	240*37*22MM	220*30*18MM							
<b>Embed way</b>	one-step moulding	one-step moulding	one-step moulding							
<b>LF CHIP</b>	√	√	√							
<b>HF CHIP</b>	√	√	√							
<b>UHF CHIP</b>	√	√	√							
<b>N.W.</b>	16.85g	20.15g	10.70g							
<b>Packing</b>	100pcs/polybag, 1500pcs/ctn	100pcs/polybag, 1000pcs/ctn	100pcs/polybag, 1000pcs/ctn							
<b>Working Temp.</b>	-30℃~75℃	-30℃~75℃	-30℃~75℃							














## RFID Disposable Paper Wristband Series











<b>Picture</b>										
<b>No.</b>	Z001	Z002	Z003	Z004	Z005	Z006	Z007			
<b>Model</b>	Disposable Button	Disposable Button	Disposable Button	Disposable Button	Disposable Button	Disposable Button	Synthetic paper			
<b>Size</b>	210*35*14MM	250*30*14MM	250*30*14MM	300*32*26MM	245*51*26MM	255*25MM (gum)	250*25MM (gum)			
<b>Embed way</b>	secondary forming	secondary forming	secondary forming	secondary forming	secondary forming	secondary forming	secondary forming			
<b>LF CHIP</b>	-	-	-	-	-	-	-			
<b>HF CHIP</b>	√	√	√	√	√	√	√			
<b>UHF CHIP</b>	√	√	√	√	√	√	√			
<b>N.W.</b>	1.08g	1.20g	1.21g	1.42g	1.58g	0.37g	1g			
<b>Packing</b>	100pcs/polybag, 3000pcs/ctn	100pcs/polybag, 3000pcs/ctn	100pcs/polybag, 3000pcs/ctn	100pcs/polybag, 3000pcs/ctn	100pcs/polybag, 3000pcs/ctn	100pcs/polybag, 3000pcs/ctn	100pcs/polybag, 3000pcs/ctn			
<b>Working Temp.</b>	-30℃~75℃	-30℃~75℃	-30℃~75℃	-30℃~75℃	-30℃~75℃	-30℃~75℃	-30℃~75℃			



# RFID Laundry Tag Series

<b>Picture</b>										
<b>No.</b>	X001	X002	X003	X002	X005	X006	X007	X008	X009	
<b>Material</b>	PPS	PPS	PPS	Silicone	PPS	PPS	PPS (smooth surface)	PPS (surface edges)	Silicone	
<b>Size</b>	Φ20MM*2.1MM	Φ23.5MM*2.1MM	24MM*29MM*2.1MM	85MM*27MM*4MM	Φ24MM*2.5MM	Φ24MM*2.5MM	Φ24MM*3MM	Φ24MM*3MM	Φ56MM*20MM*2MM	
<b>Embed way</b>	one-step moulding	one-step moulding	one-step moulding	one-step moulding	one-step moulding	one-step moulding	one-step moulding	one-step moulding	one-step moulding	
<b>LF CHIP</b>	√	√	√	√	√	√	√	√	√	
<b>HF CHIP</b>	√	√	√	√	√	√	√	√	√	
<b>UHF CHIP</b>	-	√	√	√	√	√	√	√	√	
<b>N.W.</b>	1.10g	1.50g	1.60g	10.20g	1.50g	1.50g	1.50g	1.50g	3.00g	
<b>Packing</b>	100pcs/polybag, 2000pcs/ctn	100pcs/polybag, 2000pcs/ctn	100pcs/polybag, 1000pcs/ctn	100pcs/polybag, 1000pcs/ctn	100pcs/polybag, 1000pcs/ctn	100pcs/polybag, 1000pcs/ctn	100pcs/polybag, 1001pcs/ctn	100pcs/polybag, 1002pcs/ctn	100pcs/polybag, 1003pcs/ctn	
<b>Working Temp.</b>	-30℃~220℃	-30℃~220℃	-30℃~220℃	-30℃~75℃	-30℃~220℃	-30℃~220℃	-30℃~220℃	-30℃~220℃	-30℃~75℃	

# RFID Key Tag Series

<b>Picture</b>										
<b>No.</b>	Y001	Y002	Y003	Y004	Y005	Y006	Y007	Y008	Y009	Y010
<b>Material</b>	Silicone	Silicone	PVC	PVC	PVC	PVC	PPS	PVC	PVC	PVC
<b>Size</b>	25MM*35MM	30MM*35MM	47MM*42MM	47MM*42MM	35MM*47MM	38MM*35MM	24MM*29MM	40MM*55MM	32MM*55MM	53MM*54MM
<b>Embed way</b>	one-step moulding	one-step moulding	one-step moulding	one-step moulding	one-step moulding	one-step moulding	one-step moulding	one-step moulding	one-step moulding	one-step moulding
<b>LF CHIP</b>	√	√	√	√	√	√	√	√	√	√
<b>HF CHIP</b>	√	√	√	√	√	√	√	√	√	√
<b>UHF CHIP</b>	-	√	√	√	√	√	√	√	√	√
<b>N.W.</b>	6.00g	7.50g	7.50g	7.50g	8.70g	7.70g	1.60g			
<b>Packing</b>	100pcs/polybag, 2000pcs/ctn	100pcs/polybag, 2000pcs/ctn	100pcs/polybag, 2000pcs/ctn	100pcs/polybag, 2000pcs/ctn	100pcs/polybag, 2000pcs/ctn	100pcs/polybag, 2000pcs/ctn	100pcs/polybag, 1000pcs/ctn	100pcs/polybag, 1001pcs/ctn	100pcs/polybag, 1002pcs/ctn	100pcs/polybag, 1003pcs/ctn
<b>Working Temp.</b>	-30°C~220°C	-30°C~220°C	-30°C~75°C	-30°C~75°C	-30°C~75°C	-30°C~75°C	-30°C~220°C	-30°C~220°C	-30°C~220°C	-30°C~220°C